



Courier Shippers

PRODUCT RANGE



SPECIFICATIONS:

Global Cold Chain Solutions supplies a range of courier shippers. See our extensive range of GMP pre-qualified off-the-shelf temperature-sensitive courier shippers designed temperature-sensitive deliveries.

Available in assembled or flat pack to reduce inbound logistics and storage costs. On average the flat pack saves 30-40% in storage and logistics costs.


KEY FEATURES:

- EPS, XPS, PU, VIP insulation
- 2L - 122L Payload
- 24 - 102 Hour Validation
- Australian Summer/Winter (ASW)
- International (INT)
- International Standard Transport Association (ISTA)
- Extreme Summer and Winter (AS/AW)



CONTACT US FOR MORE INFORMATION:

- | | | |
|------------|--------------------------|---|
| Australia: | Ph: +61 (03) 93303603 | Email: info@globalcoldchain.com |
| India: | Ph: +91-93-13 35 02 58 | Email: india@globalcoldchain.com |
| Germany: | Ph: +49 (0)7761 556 8650 | Email: europe@globalcoldchain.com |
| Malaysia: | Ph: +60 (0)16 5230460 | Email: info@globalcoldchain.com |



+2°C to +8°C

MODEL	HOURS	PROFILE	INTERNAL (MM)	EXTERNAL (MM)	PAYLOAD
VH-7+2+8-24-ASW	24	ASW	230x190x80	320x280x260	2
VH-14-6+2+8-24-AS	24	AS	275x205x100	370x300x350	6
VH-32-13+2+8-24-AS	24	AS	355x240x150	485x370x380	13
VH-32-17+2+8-24-AW	24	AW	395x275x155	485x370x380	17
VH-75-30+2+8-24-ASW	24	ASW	410x300x245	670x465x480	30
TPC-11-3+2+8-48-ISTA	48	ISTA	260x190x70	370x300x330	3
TPC-15-7+2+8-30-ISTA	30	ISTA	260x190x150	370x300x435	7
TPC-27-15+2+8-48-ISTA	48	ISTA	380x260x160	485x370x380	15
TPC-14-5+2+8-48-ASW	48	ASW	253x195x100	364x306x400	5
TPC-32-15+2+8-48-ASW	48	ASW	380x260x170	490x370x440	15
TPC-41-13+2+8-36-ASW	36	ASW	335x225x180	490x365x535	14
TPC-71-25+2+8-48-ASW	48	ASW	385x290x230	570x470x540	25
TPC-44-11+2+8-72-INT	72	ISTA	400x300x95	570x470x540	11
TPC-155-68+2+8-72-INT	72	ISTA	480x310x460	740x560x860	68
TPC-320-122+2+8-102-ASW	102	ASW	782x422x370	1060x710x835	122
TPV-21-13+2+8-32-ASW	32	ASW	225x225x265	326x328x361	13

+2°C to +25°C

MODEL	HOURS	PROFILE	INTERNAL (MM)	EXTERNAL (MM)	PAYLOAD
VH-7-1+2+25-48-ASW	48	ASW	130x100x90	32x280x160	1
VH-19-5+2+25-48-ASW	48	ASW	105x180x255	370x300x460	5
VH-36-13+2+25-48-ASW	48	ASW	295x180x230	485x375x445	13
VH-75-28+2+25-48-ASW	48	ASW	400x295x245	670x465x490	28
TPC-14-6+2+25-48-ASW	48	ASW	255x190x130	365x305x405	6
TPC-32-17+2+25-48-ASW	48	ASW	380x260x180	490x370x440	17
TPV-21-13+2+25-32-ASW	32	ASW	225x225x265	326x328x361	13

+15°C to +25°C

MODEL	HOURS	PROFILE	INTERNAL (MM)	EXTERNAL (MM)	PAYLOAD
VH-19-5+15+25-27-ASW	27	ASW	105x180x255	370x300x460	5
VH-36-13+15+25-33-ASW	33	ASW	295x180x230	485x375x445	13
VH-75-30+15+25-36-ASW	36	ASW	410x300x245	670x465x480	30
TPC-15-4+15+25-34-ASW	34	ASW	180x110x250	370x295x450	4
TPC-32-12+15+25-38-ASW	38	ASW	295x180x250	490x370x440	12
TPC-155-68+15+25-96-INT	96	INT	480x310x460	740x560x890	69
TPV-21-13+15+25-32-ASW	32	ASW	225x225x265	326x328x361	13



-16°C to -10°C

MODEL	HOURS	PROFILE	INTERNAL (MM)	EXTERNAL (MM)	PAYLOAD
TPC-32-5-16-10-50-AS	50	AS	280x160x120	488x368x436	5
TPC-71-26-16-10-72-AS	72	AS	360x260x280	568x568x546	26
TPC-95-33-16-10-83-AS	83	AS	370x290x310	578x498x636	33
TPC-95-38-16-10-57-AS	57	AS	370x290x360	578x498x636	38
TPC-155-73-16-10-72-AS	72	AS	460x290x550	728x558x886	73

-22°C to -16°C

MODEL	HOURS	PROFILE	INTERNAL (MM)	EXTERNAL (MM)	PAYLOAD
VH-72-25-22-16-AS	40	AS	400x275x235	588x463x481	25
VH-72-25-22-16-46-ASW	46	ASW	400x275x235	588x463x581	25
TPC-32-5-22-16-52-AS	52	AS	280x160x110	488x368x436	5
TPC-45-8-22-16-56-AS	56	AS	300x200x145	508x413x491	8
TPC-71-26-22-16-54-AS	54	AS	360x260x310	568x468x546	26
TPC-95-33-22-16-49-AS	49	AS	370x260x310	578x498x636	33
TPC-104-22-22-16-72-AS	72	AS	340x240x280	708x608x616	22
TPC-155-61-22-16-66-ISTA	66	ISTA	460x290x550	735x565x890	61
TPV-21-13-22-16-32-ASW	32	ASW	225x225x265	326x328x361	13

-80°C Dry Ice

MODEL	HOURS	PROFILE	INTERNAL (MM)	EXTERNAL (MM)	PAYLOAD
VH-7-80-48	48		340x190x165	320x280x260	7
VH-7-1-70-36-SUM	36	AS	192x142x49	320x280x260	1
VH-14-80-72	72		275x200x250	370x300x350	14
VH-14-3-70-37-SUM	37	AS	162x122x174	370x300x350	3
VH-32-80-72	72		395x275x295	485x370x380	32
VH-32-7-70-50-SUM	50	AS	242x162x194	485x370x380	7
VH-72-80-72	72		495x375x390	585x465x485	72